

补体 Complement

免疫领域

补体，领先的研究工具

Together, we improve health.
Collaborate to achieve success,
your goal is our goal.



简介

Hycult Biotech是在固有免疫领域中研究试剂的领先世界级制造商。我们是高质量测定、抗体、蛋白质和服务的合作伙伴。艾美捷科技是Hycult中国区总代理，欢迎垂询，400-6800-868.

补体 - Complement

补体系统不仅在固有免疫反应中起着核心作用，而且也是适应性免疫中的主要参与者。损伤相关分子模式（DAMPs）通过与特定细胞上的特异性受体相互作用，转化为细胞反应。其中包括模式识别受体（PRRs），它们识别病原体相关分子模式（PAMPs）和内源性危险信号，例如凋亡相关的膜片段。C1q、C3和结合甘露糖结合凝集素（MBL）的补体成分是必需的溶解性危险感知蛋白，它们被内源性和外源性刺激激活。



寻找与补体相关的
其他产品？


欢迎垂询中国区总代理：
艾美捷科技，400-6800-868

ELISA

经验证的样本类型:

BF: 支气管肺泡灌洗液 (BAL)	CF: 脑脊液
CS: 细胞培养上清液	F: 粪便
O: 其他	P: 血浆
S: 血清	SA: 唾液
SF: 滑膜液	SP: 痰液
U: 尿液	TH: 组织匀浆液

针对人的ELISA试剂盒		
产品名称	样本类型	货号
C1-INH	P S	HK396
C1s/C1-INH	P S	HK399
C1q	BF P S	HK356
C3	P S	HK366
C3a	BF P S U	HK354
C3c	P S	HK368
C4c	P S	HK397
C5	P S	HK390
C5a	P S	HK349
Coagulation factor XII	P S	HK373
Collectin-10	P S	HK364
Complement factor B	P S	HK367
Complement factor D	P S U	HK343
Complement factor H	P S U	HK342
Complement factor I	P S U	HK355
Factor H, 402H/Y variant detection	P S	HK353
Ficolin-1	P S	HK357
Ficolin-2	CS P S	HK336
Ficolin-3	CS P S	HK340
gC1qR	P S	HK362
MAp44	P S	HK359
MASP-1/C1-INH	P S	HK3001
MASP-2	CS P S	HK326
MASP-3	P S	HK339
MBL	CS P S	HK323
Properdin	BF CF P S U	HK334
sCD59	P S	HK374
SP-D	BF CS P	HK335
TCC	CF CS P SF U	HK328



人扁桃体中的C4d。使用克隆12D11 (目录号HM2229) 对冰冻切片进行染色。

寻找与补体相关的
其他产品?

欢迎垂询中国区总代理:
艾美捷科技, 400-6800-868

ELISA

针对小鼠, 大鼠, 猪的ELISA试剂盒

Product name	Sample types	Cat. #
Mouse C1q	P S	HK211
Mouse C3b	P S	HK216
Mouse C4	P	HK217
Mouse Alternative pathway	P S	HIT422
Mouse Classical pathway	P S	HIT420
Mouse Lectin pathway	P S	HIT421
Pig Alternative pathway	P S	HIT432
Pig Classical pathway	P S	HIT430
Pig Lectin pathway	P S	HIT431
Pig C5a	P S	HK701
Rat Alternative pathway	P S	HIT412
Rat Classical pathway	P S	HIT410
Rat Lectin pathway	P S	HIT411
Rat TCC	P S	HK106

Can't find the sample type you want for an ELISA kit?

Ask the support team to assist you with your research needs on support@hycultbiotech.com

抗体

Human

验证的抗体应用:

F: 冰冻切片
FS: 功能研究
IF 免疫荧光
P: 石蜡切片

FC: 流式
IA: 免疫检测
IP: 免疫沉淀
W: 免疫印迹 WB

试试我们的抗体吗?

20ug小包装, 好用不贵!

人, 抗体 (提供多种数量, 请参考网站)

Product name	Clone	Applications	Cat. #
Activated C1s	M241	F FC FS IA IP P W	HM2109
Activated C3	bH6	F IA	HM2168
Activated C3	I3/15	IA W	HM2257
C1-INH	15/12	IA W	HM2411
C1q	JL-1	FS IA IF W	HM2382
C1s	M81	F FC FS IA IP P W	HM2108
C1s	10/12	FS IA W	HM2412
C2	pAb	IA IP W	HP9066
C3 (beta-chain)	169.5	W	HM2377
C3/C3a	2898	IA W	HM2075
C3/C3a	474	IA W	HM2073
C3/C3b	755	IA W	HM2072
C3/C3b/iC3b (alpha-chain)	18.1	IA W	HM2389
C3/C3b/iC3b/C3c	C3-16.4	FS IA	HM2401
C3a/C3a des Arg	2991	IA W	HM2074
C3aR	17	FC F	HM2195
C3b/iC3b	3E7	FC FS IF	HM2286

抗体

Human

人, 抗体			
Product name	Clone	Applications	Cat. #
C3b/iC3b	5G9	FS	HM2285
C3b/iC3b/C3d	1H8	FC IP W	HM2287
C3b/iC3b/C3c	C3-42.3	FS IA W	HM2394
iC3b/C3dg/C3d	C3-12.2	IA W	HM2395
C3c	4	IP	HM2200
C3c	F1-4	IA IP W	HM2318
C3d	HB2C2	IA IP W	HM2422
C3d	3	IA IP	HM2198
C3g	9	IA IP	HM2199
C4c	99-72-18	IA IP W	HM2399
C4d	12D11	F FC IA W	HM2229
C4d	7H4	F IA W	HM2230
C5	10B6	FS IA IF W	HM2414
C5/C5a	557	FS IA W	HM2077
C5/C5a	561	FS IA	HM2076
C5/C5b	568	IA W	HM2080
C5a/C5a des Arg	2942	F FS IA W	HM2078
C5a/C5a des Arg	2952	F FS IA W	HM2079
C5aR	S5/1	F FC FS P W	HM2094
C5aR	W17/1	FC F P	HM2095
C5L2	pAb	FC F IF W	HP9036
C6	WU6-4	FC FS IA IF IP P W	HM2276
C7	WU4-15	FC IA IF IP W	HM2277
C9	X197	FC F FS IA P W	HM2111
C9 neoantigen	WU13-15	FC F IA P W	HM2264
CD11b	Bear-1	FC F IP	HM2125
CD35 (C1R)	31R	FC F IA IP P W	HM2107
CD46	M177	FC FS IA IP W	HM2103
CD59	MEM-43	FC IP W	HM2120
CFHR1-2	JHD-7.10.1	IA	HM2301
Coagulation factor XII	10-11-1937	IA W	HM2322
Collectin-10	4F9D7	IA W	HM2356
Complement factor B/Bb	M13/12	IA IP W	HM2256
Complement factor B/Ba	M20/6	IA IP W	HM2255
Complement factor B/Ba	P21/15	IA IP W	HM2254
Complement factor Ba neo-epitope	D22/3	IA W	HM2379
Complement factor D	D10/4	IA	HM2258
Complement factor D	I8/1	IA	HM2259
Complement factor H	C18/3	IA W	HM2248
Complement factor H	L20/3	IA W	HM2249
Complement factor I	1C11	IA W	HM2320
Complement factor I	MBI-1	IA W	HM2319

抗体

Human

人, 抗体			
Product name	Clone	Applications	Cat. #
CD55	D17	FC W	HM2105
CD55	1C6	FC FS IA W	HM2280
FHR4	pAb	IA W	HP9058
Ficolin-1	7G1	FC IA W	HM2196
Ficolin-2	GN4	F IA IP	HM2090
Ficolin-2	GN5	F IA IP W	HM2091
Ficolin-3	4H5	F IA IP	HM2089
gC1qR	60,11	FC FS IA IP P W	HM2014
gC1qR	74.5.2	FC FS IA IF IP W	HM2015
MAP44	2D5B6	IA IP P W	HM2296
MASP-1	4H2A9	IA	HM2297
MASP-1	3/3	IA W	HM2408
MASP-1	100/10	IA W	HM2409
MASP-1/3	1E2	IA IP W	HM2092
MASP-1/3	2B11	IA IP W	HM2093
MASP-2	8B5	IA W	HM2190
MASP-2/MAP19	6G12	IA W	HM2191
MASP-3	38:12-3	IA W	HM2216
MBL	3E7	FC FS IA	HM2061
Pro SP-C	pAb	F P W	HP9050
Properdin	1G6D2	FS IA W	HM2354
Properdin	2.9	IA	HM2282
Properdin	3A3E1	FS IA W	HM2355
Properdin	SIM 295-9.4.3	F FC IA W	HM2283
SP-B	pAb	F P IA W	HP9049
TCC	αE11	FC FS IA IF P	HM2167

抗体

Mouse

小鼠, 抗体			
Product name	Clone	Applications	Cat. #
C1q	7H8	F IA IF	HM1044
C1q	JL-1	F FS IA IF W	HM1096
C3	11H9	FC F IA IF W	HM1045
C3	pAb	F IF P W	HP8012
C3a	3/11	FC FS IA W	HM1072
C3aR	14D4	FC F	HM1123
C3b/iC3b/C3c	2/11	FC F FS IA IF W	HM1065
C3b/iC3b/C3c	3/26	FC F FS IA IF W	HM1078
C4	16D2	IA IF IP W	HM1046
C4d	pAb	FC F P W	HP8033
C5	BB5.1	F FS IA IF IP P	HM1073
C5	pAb	W	HP8013
C5aR	10/92	FC F W	HM1077
C5aR	20/70	FC FS IF	HM1076
C5L2	pAb	FS FC	HP8015
C6	pAb	F W	HP8014
C9	C9-6-25-5	W	HM1134
CD46	MM10	FC F IA IF W	HM1118
CD55	3D5	FC IA P W	HM1115
CD59a	7A6	FC F FS IA IF W	HM1116
CR1/CR2	7E9	FC IF IP W	HM1112
Crry/p65	8A/E6	IA IF W	HM1117
Factor H	1A2	F IA W	HM1119
MBL-A	2B4	IA W	HM1036
MBL-A	8G6	F IA IF W	HM1035
MBL-C	14D12	F IA IF W	HM1038
MBL-C	16A8	IA W	HM1037
Properdin	E12	FS IA W	HM1138
Properdin	H4	FS IA IF W	HM1139

抗体

Rat


大鼠, 抗体			
Product name	Clone	Applications	Cat. #
C1q	pAb	F IA IP	HP8021
C3	pAb	IA W	HP8022
C3/C3b	2B10B9B2	IA W	HM3031
C3aR	74	FC F	HM3028
C4	pAb	IA IP	HP8023
C4d	pAb	FC F P W	HP8034
C5	4G2	F FS IF W	HM3044
C5aR	R63	FC F IF IA W	HM3017
C5b-9	2A1	FC F IA IF P	HM3033
C5L2	pAb	FC FS	HP8018
C6	3G11	F IA W	HM3034
CD46	MM1	F IA IF W	HM3038
CD59 Glycoprotein	TH9	FC F FS W	HM3037
Crry	TLD-1C11	FC F FS IA IF W	HM3032
CD55	RDII-24	FC F FS IA IP W	HM3036
CD55	RDIII-7	FC F FS IF W	HM3035
SP-D	IIIH3	IA P W	HM3022
SP-D	IVG8	IA P W	HM3024
SP-D	VIF9	IA P W	HM3023

Pig

猪, 抗体			
Product name	Clone	Applications	Cat. #
C3	pAb	FC	HP7003
CD55	PD2	FC FS IA W	HM4014
SP-B	pAb	IA W	HP7002




人脑组织中的C5。使用克隆BB5.1 (目录号HM1073) 对冰冻切片进行染色。




小鼠心脏组织中的C4d。使用多克隆抗体 (目录号HP8033) 对石蜡切片进行染色。

活性蛋白-Protein

人, 蛋白与多肽		
Product name	Quantity	Cat.#
C1, Natural	200 µg	HC2122
C1q, Natural	1 mg	HC2143
C2, Natural	50 µg	HC2124
C3, Natural	250 µg	HC2125
C3a, Natural	50 µg	HC2126
C3a des Arg, Natural	50 µg	HC2127
C4, Natural	250 µg	HC2128
C5, Natural	200 µg	HC2141
C5a, Recombinant	50 µg	HC2101
C5a des Arg, Rec.	50 µg	HC2102
C5L2, Peptide	10 µg	HC2103
C9, Natural	250 µg	HC2142
Complement factor B, Natural	250 µg	HC2129
Complement factor H, Natural	250 µg	HC2130
Complement factor I, Natural	100 µg	HC2131
Properdin, Natural	100 µg	HC2132



大鼠肾脏组织中的C6。使用克隆3G11（目录号HM3034）对冰冻切片进行染色。



小鼠肾脏组织中的C4d。使用多克隆抗体（目录号HP8033）对石蜡切片进行染色。

其他种属, 蛋白与多肽			
Product name	Species	Quantity	Cat. #
C5a, Recombinant	Mouse	50 µg	HC1101
C5a des Arg, Recombinant	Mouse	50 µg	HC1102
C5L2, Peptide, Recombinant	Rat	10 µg	HC3103
Cobra Venom Factor, Recombinant		50 µg	HC4073

Hycult Biotech 总部位于荷兰，设有美国销售办事处，并在全球范围内拥有超过45家分销商的销售网络。我们认为，在使用我们的产品或考虑购买适用于您的研究需求时，技术支持是必不可少的。因此，您可以随时直接联系我们专门的支持团队：

中国区总代理，艾美捷科技有限公司

400-6800-868

www.amyjet.com

